## 1 Table of Contents

| 2  | AC    | KNOWLEDGMENTS  | I     |
|----|-------|--|-------|
| 3  | TAE   | BLE OF CONTENTS  | III   |
| 4  | LIS   | Γ OF TABLES, FIGURES, AND BOXES  | VI    |
| 5  | Table | es ·   | vi    |
| 6  | Figur | es   | xiv   |
| 7  | Boxe  | s  | xvi   |
| 8  | EXE   | CUTIVE SUMMARY   | ES-1  |
| 9  | Back  | ground Information   | ES-2  |
| 10 | Rece  | nt Trends in U.S. Greenhouse Gas Emissions and Sinks                           | ES-4  |
| 11 | Over  | view of Sector Emissions and Trends  | ES-11 |
| 12 | Other | Information  | ES-14 |
| 13 | 1.    | INTRODUCTION   | 1-1   |
| 14 | 1.1.  | Background Information   | 1-2   |
| 15 | 1.2.  | Institutional Arrangements   | 1-9   |
| 16 | 1.3.  | Inventory Process  | 1-9   |
| 17 | 1.4.  | Methodology and Data Sources   | 1-11  |
| 18 | 1.5.  | Key Categories   | 1-12  |
| 19 | 1.6.  | Quality Assurance and Quality Control (QA/QC)                                  | 1-14  |
| 20 | 1.7.  | Uncertainty Analysis of Emission Estimates                                     | 1-15  |
| 21 | 1.8.  | Completeness   | 1-16  |
| 22 | 1.9.  | Organization of Report   | 1-16  |
| 23 | 2.    | TRENDS IN GREENHOUSE GAS EMISSIONS   | 2-1   |
| 24 | 2.1.  | Recent Trends in U.S. Greenhouse Gas Emissions                                 | 2-1   |
| 25 | 2.2.  | Emissions by Economic Sector   | 2-23  |
| 26 | 2.3.  | Indirect Greenhouse Gas Emissions (CO, NOx, NMVOCs, and SO2)                   | 2-31  |
| 27 | 3.    | ENERGY   | 3-1   |
| 28 | 3.1.  | Carbon Dioxide Emissions from Fossil Fuel Combustion (IPCC Source Category 1A) | 3-3   |
| 29 | 3.2.  | Carbon Emitted from Non-Energy Uses of Fossil Fuels (IPCC Source Category 1A)  | 3-19  |
| 30 | 3.3.  | Stationary Combustion (excluding CO <sub>2</sub> ) (IPCC Source Category 1A)   | 3-24  |
| 31 | 3.4.  | Mobile Combustion (excluding CO <sub>2</sub> ) (IPCC Source Category 1A)       | 3-29  |
| 32 | 3.5.  | Coal Mining (IPCC Source Category 1B1a)  | 3-36  |
| 33 | 3.6.  | Abandoned Underground Coal Mines (IPCC Source Category 1B1a)                   | 3-39  |
| 34 | 3.7.  | Petroleum Systems (IPCC Source Category 1B2a)                                  | 3-42  |

| 1  | 3.8.  | Natural Gas Systems (IPCC Source Category 1B2b)                       | 3-45 |
|----|-------|---|------|
| 2  | 3.9.  | Municipal Solid Waste Combustion (IPCC Source Category 1A5)           | 3-50 |
| 3  | 3.10. | Energy Sources of Indirect Greenhouse Gas Emissions                   | 3-53 |
| 4  | 3.11. | International Bunker Fuels (IPCC Source Category 1: Memo Items)       | 3-54 |
| 5  | 3.12. | Wood Biomass and Ethanol Consumption (IPCC Source Category 1A)        | 3-58 |
| 6  | 4.    | INDUSTRIAL PROCESSES  | 4-1  |
| 7  | 4.1.  | Cement Manufacture (IPCC Source Category 2A1)                         | 4-4  |
| 8  | 4.2.  | Iron and Steel Production (IPCC Source Category 2C1)                  | 4-6  |
| 9  | 4.3.  | Ammonia Manufacture and Urea Application (IPCC Source Category 2B1)   | 4-10 |
| 10 | 4.4.  | Lime Manufacture (IPCC Source Category 2A2)                           | 4-13 |
| 11 | 4.5.  | Limestone and Dolomite Use (IPCC Source Category 2A3)                 | 4-17 |
| 12 | 4.6.  | Soda Ash Manufacture and Consumption (IPCC Source Category 2A4)       | 4-20 |
| 13 | 4.7.  | Titanium Dioxide Production (IPCC Source Category 2B5)                | 4-23 |
| 14 | 4.8.  | Ferroalloy Production (IPCC Source Category 2C2)                      | 4-25 |
| 15 | 4.9.  | Phosphoric Acid Production (IPCC Source Category 2B5)                 | 4-27 |
| 16 | 4.10. | Carbon Dioxide Consumption (IPCC Source Category 2B5)                 | 4-31 |
| 17 | 4.11. | Zinc Production (IPCC Source Category 2C5)                            | 4-33 |
| 18 | 4.12. | Lead Production (IPCC Source Category 2C5)                            | 4-36 |
| 19 | 4.13. | Petrochemical Production (IPCC Source Category 2B5)                   | 4-38 |
| 20 | 4.14. | Silicon Carbide Production (IPCC Source Category 2B4) and Consumption | 4-41 |
| 21 | 4.15. | Nitric Acid Production (IPCC Source Category 2B2)                     | 4-43 |
| 22 | 4.16. | Adipic Acid Production (IPCC Source Category 2B3)                     | 4-44 |
| 23 | 4.17. | Substitution of Ozone Depleting Substances (IPCC Source Category 2F)  | 4-47 |
| 24 | 4.18. | HCFC-22 Production (IPCC Source Category 2E1)                         | 4-50 |
| 25 | 4.19. | Electrical Transmission and Distribution (IPCC Source Category 2F7)   | 4-51 |
| 26 | 4.20. | Semiconductor Manufacture (IPCC Source Category 2F6)                  | 4-55 |
| 27 | 4.21. | Aluminum Production (IPCC Source Category 2C3)                        | 4-59 |
| 28 | 4.22. | Magnesium Production and Processing (IPCC Source Category 2C4)        | 4-64 |
| 29 | 4.23. | Industrial Sources of Indirect Greenhouse Gases                       | 4-66 |
| 30 | 5.    | SOLVENT AND OTHER PRODUCT USE   | 5-1  |
| 31 | 5.1.  | Nitrous Oxide Product Usage (IPCC Source Category 3D)                 | 5-1  |
| 32 | 5.2.  | Indirect Greenhouse Gas Emissions from Solvent Use                    | 5-4  |
| 33 | 6.    | AGRICULTURE   | 6-1  |
| 34 | 6.1.  | Enteric Fermentation (IPCC Source Category 4A)                        | 6-2  |
| 35 | 6.2.  | Manure Management (IPCC Source Category 4B)                           | 6-6  |
| 36 | 6.3.  | Rice Cultivation (IPCC Source Category 4C)                            | 6-12 |

| 1  | 6.4. | Agricultural Soil Management (IPCC Source Category 4D)           | 6-16 |
|----|------|--|------|
| 2  | 6.5. | Field Burning of Agricultural Residues (IPCC Source Category 4F) | 6-29 |
| 3  | 7.   | LAND USE, LAND-USE CHANGE, AND FORESTRY                          | 7-1  |
| 4  | 7.1. | Forest Land Remaining Forest Land                                | 7-3  |
| 5  | 7.2. | Land Converted to Forest Land (IPCC Source Category 5A2)         | 7-17 |
| 6  | 7.3. | Cropland Remaining Cropland (IPCC Source Category 5B1)           | 7-17 |
| 7  | 7.4. | Land Converted to Cropland (IPCC Source Category 5B2)            | 7-26 |
| 8  | 7.5. | Grassland Remaining Grassland (IPCC Source Category 5C1)         | 7-29 |
| 9  | 7.6. | Land Converted to Grassland (IPCC Source Category 5C2)           | 7-34 |
| 10 | 7.7. | Settlements Remaining Settlements                                | 7-37 |
| 11 | 7.8. | Land Converted to Settlements (Source Category 5E2)              | 7-42 |
| 12 | 7.9. | Other (IPCC Source Category 5G)                                  | 7-42 |
| 13 | 8.   | WASTE  | 8-1  |
| 14 | 8.1. | Landfills (IPCC Source Category 6A1)                             | 8-2  |
| 15 | 8.2. | Wastewater Treatment (IPCC Source Category 6B)                   | 8-6  |
| 16 | 8.3. | Waste Sources of Indirect Greenhouse Gases                       | 8-15 |
| 17 | 9.   | OTHER  | 9-1  |
| 18 | 10.  | RECALCULATIONS AND IMPROVEMENTS                                  | 10-1 |
| 19 | 11.  | REFERENCES   | 11-1 |
| 20 |      |  |      |

٧

## List of Tables, Figures, and Boxes

| )  | Tal  | h | عطا       |
|----|------|---|-----------|
| ۷. | ı aı | v | <b>C3</b> |

| 3        | Table ES-1: Global Warming Potentials (100-Year Time Horizon) Used in this Report  | ES-3                           |
|----------|--|--------------------------------|
| 4        | Table ES-2: Recent Trends in U.S. Greenhouse Gas Emissions and Sinks (Tg CO <sub>2</sub> Eq.)                                    | ES-4                           |
| 5        | Table ES-3: CO <sub>2</sub> Emissions from Fossil Fuel Combustion by End-Use Sector (Tg CO <sub>2</sub> Eq.)                     | ES-7                           |
| 6<br>7   | Table ES-4: Recent Trends in U.S. Greenhouse Gas Emissions and Sinks by Chapter/IPCC Sector (Tg 11                               | CO <sub>2</sub> Eq.)ES-        |
| 8        | Table ES-5: Net CO <sub>2</sub> Flux from Land Use, Land-Use Change, and Forestry (Tg CO <sub>2</sub> Eq.)                       | ES-13                          |
| 9        | Table ES-6: Non-CO <sub>2</sub> Emissions from Land Use, Land-Use Change, and Forestry (Tg CO2 Eq.)                              | ES-13                          |
| 10       | Table ES-7: U.S. Greenhouse Gas Emissions Allocated to Economic Sectors (Tg CO <sub>2</sub> Eq.)                                 | ES-14                          |
| 11<br>12 | Table ES-8: U.S Greenhouse Gas Emissions by Economic Sector with Electricity-Related Emissions D (Tg CO <sub>2</sub> Eq.)        | istributed<br>ES-15            |
| 13<br>14 | Table ES-9: Recent Trends in Various U.S. Data (Index 1990 = 100) and Global Atmospheric CO <sub>2</sub> Cor                     | ncentration<br>ES-16           |
| 15       | Table ES-10: Emissions of NO <sub>x</sub> , CO, NMVOCs, and SO <sub>2</sub> (Gg)   | ES-17                          |
| 16<br>17 | Table 1-1: Global Atmospheric Concentration, Rate of Concentration Change, and Atmospheric Lifetin Selected Greenhouse Gases     | ne (years) of 1-3              |
| 18       | Table 1-2: Global Warming Potentials and Atmospheric Lifetimes (Years) Used in this Report                                       | 1-7                            |
| 19       | Table 1-3: Comparison of 100-Year GWPs   | 1-8                            |
| 20       | Table 1-4: Key Categories for the United States (1990-2005) Based on Tier 1 Approach   | 1-12                           |
| 21       | Table 1-5. Estimated Overall Inventory Quantitative Uncertainty (Tg CO <sub>2</sub> Eq. and Percent)                             | 1-15                           |
| 22       | Table 1-6: IPCC Sector Descriptions  | 1-16                           |
| 23       | Table 1-7: List of Annexes   | 1-17                           |
| 24<br>25 | Table 2-1: Annual Change in CO <sub>2</sub> Emissions from Fossil Fuel Combustion for Selected Fuels and Sector Eq. and Percent) | ors (Tg CO <sub>2</sub><br>2-2 |
| 26       | Table 2-2: Recent Trends in Various U.S. Data (Index 1990 = 100) and Global Atmospheric CO <sub>2</sub> Conc                     | entration 2-4                  |
| 27       | Table 2-3: Recent Trends in U.S. Greenhouse Gas Emissions and Sinks (Tg CO <sub>2</sub> Eq.)                                     | 2-4                            |
| 28       | Table 2-4: Recent Trends in U.S. Greenhouse Gas Emissions and Sinks (Gg)   | 2-6                            |
| 29       | Table 2-5: Recent Trends in U.S. Greenhouse Gas Emissions and Sinks by Chapter/IPCC Sector (Tg C                                 | O <sub>2</sub> Eq.) 2-8        |
| 30       | Table 2-6: Emissions from Energy (Tg CO <sub>2</sub> Eq.)  | 2-8                            |
| 31       | Table 2-7: CO <sub>2</sub> Emissions from Fossil Fuel Combustion by End-Use Sector (Tg CO <sub>2</sub> Eq.)                      | 2-10                           |
| 32       | Table 2-8: Emissions from Industrial Processes (Tg CO <sub>2</sub> Eq.)  | 2-14                           |
| 33       | Table 2-9: N <sub>2</sub> O Emissions from Solvent and Other Product Use (Tg CO <sub>2</sub> Eq.)                                | 2-18                           |
| 34       | Table 2-10: Emissions from Agriculture (Tg CO <sub>2</sub> Eq.)  | 2-19                           |
| 35       | Table 2-11: Net CO <sub>2</sub> Flux from Land Use, Land-Use Change, and Forestry (Tg CO <sub>2</sub> Eq.)                       | 2-21                           |
| 36       | Table 2-12: Non-CO <sub>2</sub> Emissions from Land Use, Land-Use Change, and Forestry (Tg CO <sub>2</sub> Eq.)                  | 2-21                           |

| 1        | Table 2-13: Emissions from Waste (Tg CO <sub>2</sub> Eq.)   | 2-22                       |
|----------|---|----------------------------|
| 2 3      | Table 2-14: U.S. Greenhouse Gas Emissions Allocated to Economic Sectors (Tg CO <sub>2</sub> Eq. and Percent of T 2005)  | Cotal in<br>2-24           |
| 4        | Table 2-15: Electricity Generation-Related Greenhouse Gas Emissions (Tg CO <sub>2</sub> Eq.)  | 2-26                       |
| 5<br>6   | Table 2-16: U.S Greenhouse Gas Emissions by "Economic Sector" and Gas with Electricity-Related Emissions Distributed (Tg CO <sub>2</sub> Eq.) and Percent of Total in 2005                        | sions<br>2-27              |
| 7        | Table 2-17: Transportation-Related Greenhouse Gas Emissions (Tg CO <sub>2</sub> Eq.)  | 2-29                       |
| 8        | Table 2-18: Emissions of NO <sub>x</sub> , CO, NMVOCs, and SO <sub>2</sub> (Gg)   | 2-31                       |
| 9        | Table 3-1: CO <sub>2</sub> , CH <sub>4</sub> , and N <sub>2</sub> O Emissions from Energy (Tg CO <sub>2</sub> Eq.)  | 3-1                        |
| 10       | Table 3-2: CO <sub>2</sub> , CH <sub>4</sub> , and N <sub>2</sub> O Emissions from Energy (Gg)  | 3-2                        |
| 11       | Table 3-3: CO <sub>2</sub> Emissions from Fossil Fuel Combustion by Fuel Type and Sector (Tg CO <sub>2</sub> Eq.)   | 3-3                        |
| 12<br>13 | Table 3-4: Annual Change in CO <sub>2</sub> Emissions from Fossil Fuel Combustion for Selected Fuels and Sectors Eq. and Percent)   | (Tg CO <sub>2</sub> 3-4    |
| 14       | Table 3-5: CO <sub>2</sub> Emissions from International Bunker Fuels (Tg CO <sub>2</sub> Eq.)*  | 3-6                        |
| 15       | Table 3-6: CO <sub>2</sub> Emissions from Fossil Fuel Combustion by End-Use Sector (Tg CO <sub>2</sub> Eq.)   | 3-6                        |
| 16       | Table 3-7: CO <sub>2</sub> Emissions from Fossil Fuel Combustion in Transportation End-Use Sector (Tg CO <sub>2</sub> Eq.) <sup>a</sup>   | 3-8                        |
| 17       | Table 3-8: Carbon Intensity from Direct Fossil Fuel Combustion by Sector (Tg CO <sub>2</sub> Eq./QBtu)  | 3-12                       |
| 18       | Table 3-9: Carbon Intensity from all Energy Consumption by Sector (Tg CO <sub>2</sub> Eq./QBtu)   | 3-13                       |
| 19<br>20 | Table 3-10: Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Energy-related Fossil Fuel Combustion by Fuel Type and Sector (Tg CO <sub>2</sub> Eq. and Percent)       | 3-18                       |
| 21       | Table 3-11: CO <sub>2</sub> Emissions from Non-Energy Use Fossil Fuel Consumption (Tg CO <sub>2</sub> Eq.)  | 3-19                       |
| 22       | Table 3-12: Adjusted Consumption of Fossil Fuels for Non-Energy Uses (TBtu)   | 3-20                       |
| 23       | Table 3-13: 2005 Adjusted Non-Energy Use Fossil Fuel Consumption, Storage, and Emissions  | 3-21                       |
| 24<br>25 | Table 3-14: Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Non-Energy Uses of Fossil (Tg CO <sub>2</sub> Eq. and Percent)   | Fuels<br>3-22              |
| 26<br>27 | Table 3-15: Tier 2 Quantitative Uncertainty Estimates for Storage Factors of Non-Energy Uses of Fossil F (Percent)  | uels<br>3-23               |
| 28       | Table 3-16: CH <sub>4</sub> Emissions from Stationary Combustion (Tg CO <sub>2</sub> Eq.)   | 3-25                       |
| 29       | Table 3-17: N <sub>2</sub> O Emissions from Stationary Combustion (Tg CO <sub>2</sub> Eq.)  | 3-25                       |
| 30       | Table 3-18: CH <sub>4</sub> Emissions from Stationary Combustion (Gg)   | 3-26                       |
| 31       | Table 3-19: N <sub>2</sub> O Emissions from Stationary Combustion (Gg)  | 3-26                       |
| 32<br>33 | Table 3-20: Tier 2 Quantitative Uncertainty Estimates for CH <sub>4</sub> and N <sub>2</sub> O Emissions from Energy-Related S Combustion, Including Biomass (Tg CO <sub>2</sub> Eq. and Percent) | tationary<br>3-28          |
| 34       | Table 3-21: CH <sub>4</sub> Emissions from Mobile Combustion (Tg CO <sub>2</sub> Eq.)   | 3-30                       |
| 35       | Table 3-22: N <sub>2</sub> O Emissions from Mobile Combustion (Tg CO <sub>2</sub> Eq.)  | 3-30                       |
| 36       | Table 3-23: CH <sub>4</sub> Emissions from Mobile Combustion (Gg)   | 3-31                       |
| 37       | Table 3-24: N <sub>2</sub> O Emissions from Mobile Combustion (Gg)  | 3-31                       |
| 38<br>39 | Table 3-25: Tier 2 Quantitative Uncertainty Estimates for CH <sub>4</sub> and N <sub>2</sub> O Emissions from Mobile Sources ( <sup>*</sup> Eq. and Percent)                                      | Тg CO <sub>2</sub><br>3-34 |

| 1        | Table 3-26:           | CH <sub>4</sub> Emissions from Coal Mining (Tg CO <sub>2</sub> Eq.)   | 3-36           |
|----------|-----------------------|---|----------------|
| 2        | Table 3-27:           | CH <sub>4</sub> Emissions from Coal Mining (Gg)   | 3-37           |
| 3        | Table 3-28:           | Coal Production (Thousand Metric Tons)  | 3-38           |
| 4<br>5   | Table 3-29:<br>Percen | Tier 2 Quantitative Uncertainty Estimates for $CH_4$ Emissions from Coal Mining (Tg $CO_2$ Eq. and t)   | 3-38           |
| 6        | Table 3-30:           | CH <sub>4</sub> Emissions from Abandoned Coal Mines (Tg CO <sub>2</sub> Eq.)  | 3-40           |
| 7        | Table 3-31:           | CH <sub>4</sub> Emissions from Abandoned Coal Mines (Gg)  | 3-40           |
| 8<br>9   |                       | Tier 2 Quantitative Uncertainty Estimates for CH <sub>4</sub> Emissions from Abandoned Underground Coal (Tg CO <sub>2</sub> Eq. and Percent)          | 3-42           |
| 10       | Table 3-33:           | CH <sub>4</sub> Emissions from Petroleum Systems (Tg CO <sub>2</sub> Eq.)   | 3-43           |
| 11       | Table 3-34:           | CH <sub>4</sub> Emissions from Petroleum Systems (Gg)   | 3-43           |
| 12<br>13 | Table 3-35:<br>Percen | Tier 2 Quantitative Uncertainty Estimates for CH <sub>4</sub> Emissions from Petroleum Systems (Tg CO <sub>2</sub> E <sub>4</sub> t)                  | q. and<br>3-45 |
| 14       | Table 3-36.           | CH <sub>4</sub> Emissions from Natural Gas Systems (Tg CO <sub>2</sub> Eq.)*  | 3-46           |
| 15       | Table 3-37.           | CH <sub>4</sub> Emissions from Natural Gas Systems (Gg)*  | 3-46           |
| 16       | Table 3-38.           | Non-energy CO <sub>2</sub> Emissions from Natural Gas Systems (Tg CO <sub>2</sub> Eq.)  | 3-47           |
| 17       | Table 3-39.           | Non-energy CO <sub>2</sub> Emissions from Natural Gas Systems (Gg)  | 3-47           |
| 18<br>19 |                       | Tier 2 Quantitative Uncertainty Estimates for $CH_4$ and Non-energy $CO_2$ Emissions from Natural C as $(Tg\ CO_2\ Eq.\ and\ Percent)$                | Gas<br>3-48    |
| 20       | Table 3-41:           | Emissions of CO <sub>2</sub> from EOR Operations and Pipelines (Tg CO <sub>2</sub> Eq.)   | 3-50           |
| 21       | Table 3-42:           | Emissions of CO <sub>2</sub> from EOR Operations and Pipelines (Gg)   | 3-50           |
| 22       | Table 3-43:           | CO <sub>2</sub> and N <sub>2</sub> O Emissions from Municipal Solid Waste Combustion (Tg CO <sub>2</sub> Eq.)   | 3-51           |
| 23       | Table 3-44:           | CO <sub>2</sub> and N <sub>2</sub> O Emissions from Municipal Solid Waste Combustion (Gg)   | 3-51           |
| 24       | Table 3-45:           | Municipal Solid Waste Generation (Metric Tons) and Percent Combusted  | 3-52           |
| 25<br>26 |                       | Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> and N <sub>2</sub> O from Municipal Solid Waste Combust O <sub>2</sub> Eq. and Percent) | tion<br>3-53   |
| 27       | Table 3-47:           | NOx, CO, and NMVOC Emissions from Energy-Related Activities (Gg)  | 3-53           |
| 28       | Table 3-48:           | CO <sub>2</sub> , CH <sub>4</sub> , and N <sub>2</sub> O Emissions from International Bunker Fuels (Tg CO <sub>2</sub> Eq.)                           | 3-55           |
| 29       | Table 3-49:           | CO <sub>2</sub> , CH <sub>4</sub> and N <sub>2</sub> O Emissions from International Bunker Fuels (Gg)   | 3-55           |
| 30       | Table 3-50:           | Aviation Jet Fuel Consumption for International Transport (Million Gallons)   | 3-56           |
| 31       | Table 3-51:           | Marine Fuel Consumption for International Transport (Million Gallons)   | 3-57           |
| 32       | Table 3-52:           | CO <sub>2</sub> Emissions from Wood Consumption by End-Use Sector (Tg CO <sub>2</sub> Eq.)  | 3-59           |
| 33       | Table 3-53:           | CO <sub>2</sub> Emissions from Wood Consumption by End-Use Sector (Gg)  | 3-59           |
| 34       | Table 3-54:           | CO <sub>2</sub> Emissions from Ethanol Consumption (Tg CO <sub>2</sub> Eq. and Gg)  | 3-59           |
| 35       | Table 3-55:           | Woody Biomass Consumption by Sector (Trillion Btu)  | 3-60           |
| 36       | Table 3-56:           | Ethanol Consumption (Trillion Btu)  | 3-60           |
| 37       | Table 3-57:           | CH <sub>4</sub> Emissions from Non-Combustion Fossil Sources (Gg)   | 3-61           |
| 38       | Table 3-58:           | Formation of CO <sub>2</sub> through Atmospheric CH <sub>4</sub> Oxidation (Tg CO <sub>2</sub> Eq.)   | 3-62           |

| 1        | Table 4-1: Emissions from Industrial Processes (Tg CO <sub>2</sub> Eq.)   | 4-1             |
|----------|---|-----------------|
| 2        | Table 4-2: Emissions from Industrial Processes (Gg)   | 4-2             |
| 3        | Table 4-3: CO <sub>2</sub> Emissions from Cement Production (Tg CO <sub>2</sub> Eq. and Gg)*  | 4-4             |
| 4        | Table 4-4: Cement Production (Gg)   | 4-5             |
| 5<br>6   | Table 4-5: Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Cement Manufacture (Tg CO <sub>2</sub> and Percent)                             | Eq. 4-6         |
| 7        | Table 4-6: CO <sub>2</sub> and CH <sub>4</sub> Emissions from Iron and Steel Production (Tg CO <sub>2</sub> Eq.)  | 4-7             |
| 8        | Table 4-7: CO <sub>2</sub> and CH <sub>4</sub> Emissions from Iron and Steel Production (Gg)  | 4-7             |
| 9        | Table 4-8: CH <sub>4</sub> Emission Factors for Coal Coke, Sinter, and Pig Iron Production (g/kg)   | 4-8             |
| 10<br>11 | Table 4-9: Production and Consumption Data for the Calculation of CO <sub>2</sub> and CH <sub>4</sub> Emissions from Iron and S Production (Thousand Metric Tons)       | Steel<br>4-9    |
| 12<br>13 | Table 4-10: Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> and CH <sub>4</sub> Emissions from Iron and Steel Produ (Tg. CO <sub>2</sub> Eq. and Percent) | uction<br>4-10  |
| 14       | Table 4-11: CO <sub>2</sub> Emissions from Ammonia Manufacture and Urea Application (Tg CO <sub>2</sub> Eq.)  | 4-11            |
| 15       | Table 4-12: CO <sub>2</sub> Emissions from Ammonia Manufacture and Urea Application (Gg)  | 4-11            |
| 16       | Table 4-13: Ammonia Production, Urea Production, and Urea Net Imports (Gg)  | 4-12            |
| 17<br>18 | Table 4-14: Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Ammonia Manufacture and U Application (Tg CO <sub>2</sub> Eq. and Percent)     | Jrea<br>4-13    |
| 19       | Table 4-15: Net CO <sub>2</sub> Emissions from Lime Manufacture (Tg CO <sub>2</sub> Eq.)  | 4-13            |
| 20       | Table 4-16: CO <sub>2</sub> Emissions from Lime Manufacture (Gg)  | 4-14            |
| 21<br>22 | Table 4-17: High-Calcium- and Dolomitic-Quicklime, High-Calcium- and Dolomitic-Hydrated, and Dead-B Dolomite Lime Production (Gg)                                       | urned-<br>4-15  |
| 23       | Table 4-18: Adjusted Lime Production and Lime Use for Sugar Refining and PCC (Gg)   | 4-15            |
| 24<br>25 | Table 4-19: Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Lime Manufacture (Tg CO <sub>2</sub> I Percent)                                | Eq. and<br>4-16 |
| 26       | Table 4-20: CO <sub>2</sub> Emissions from Limestone & Dolomite Use (Tg CO <sub>2</sub> Eq.)  | 4-17            |
| 27       | Table 4-21: CO <sub>2</sub> Emissions from Limestone & Dolomite Use (Gg)  | 4-17            |
| 28       | Table 4-22: Limestone and Dolomite Consumption (Thousand Metric Tons)   | 4-19            |
| 29       | Table 4-23: Dolomitic Magnesium Metal Production Capacity (Metric Tons)   | 4-19            |
| 30<br>31 | Table 4-24: Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Limestone and Dolomite Use CO <sub>2</sub> Eq. and Percent)                    | e (Tg<br>4-20   |
| 32       | Table 4-25: CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption (Tg CO <sub>2</sub> Eq.)  | 4-21            |
| 33       | Table 4-26: CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption (Gg)  | 4-21            |
| 34       | Table 4-27: Soda Ash Manufacture and Consumption (Gg)   | 4-22            |
| 35<br>36 | Table 4-28: Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Soda Ash Manufacture and Consumption (Tg CO <sub>2</sub> Eq. and Percent)      | 4-22            |
| 37       | Table 4-29: CO <sub>2</sub> Emissions from Titanium Dioxide (Tg CO <sub>2</sub> Eq. and Gg)   | 4-23            |
| 38       | Table 4-30: Titanium Dioxide Production (Gg)  | 4-24            |
| 39<br>40 | Table 4-31: Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Titanium Dioxide Production CO <sub>2</sub> Eq. and Percent)                   | 1 (Tg<br>4-24   |

| 1        | Table 4-32:           | CO <sub>2</sub> and CH <sub>4</sub> Emissions from Ferroalloy Production (Tg CO <sub>2</sub> Eq.)   | 4-25                    |
|----------|-----------------------|---|-------------------------|
| 2        | Table 4-33:           | CO <sub>2</sub> and CH <sub>4</sub> Emissions from Ferroalloy Production (Gg)   | 4-25                    |
| 3        | Table 4-34:           | Production of Ferroalloys (Metric Tons)   | 4-26                    |
| 4<br>5   | Table 4-35:<br>and Pe | Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Ferroalloy Production (Tg CO reent)  | 2 Eq.<br>4-27           |
| 6        | Table 4-36:           | CO <sub>2</sub> Emissions from Phosphoric Acid Production (Tg CO <sub>2</sub> Eq. and Gg)   | 4-28                    |
| 7        | Table 4-37:           | Phosphate Rock Domestic Production, Exports, and Imports (Gg)   | 4-29                    |
| 8        | Table 4-38:           | Chemical Composition of Phosphate Rock (percent by weight)  | 4-29                    |
| 9<br>10  |                       | Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Phosphoric Acid Production (1q. and Percent)   | Гg<br>4-30              |
| 11       | Table 4-40:           | CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption (Tg CO <sub>2</sub> Eq. and Gg)  | 4-31                    |
| 12<br>13 | Table 4-41:<br>Bravo  | CO <sub>2</sub> Production (Gg CO <sub>2</sub> ) and the Percent Used for Non-EOR Applications for Jackson Dome an Dome   | d<br>4-32               |
| 14<br>15 | Table 4-42:<br>Percen | Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from CO <sub>2</sub> Consumption (Tg CO <sub>2</sub> Eq t)  | and<br>4-32             |
| 16       | Table 4-43:           | CO <sub>2</sub> Emissions from Zinc Production (Tg CO <sub>2</sub> Eq. and Gg)  | 4-33                    |
| 17       | Table 4-44:           | Zinc Production (Metric Tons)   | 4-35                    |
| 18<br>19 | Table 4-45:<br>Percen | Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Emissions from Zinc Production (Tg CO <sub>2</sub> Eq. at)  | and<br>4-36             |
| 20       | Table 4-46:           | CO <sub>2</sub> Emissions from Lead Production (Tg CO <sub>2</sub> Eq. and Gg)  | 4-36                    |
| 21       | Table 4-47:           | Lead Production (Metric Tons)   | 4-37                    |
| 22<br>23 | Table 4-48:<br>Percen | Tier 2 Quantitative Uncertainty Estimates for $CO_2$ Emissions from Lead Production (Tg $CO_2$ Eq. t)   | and<br>4-37             |
| 24       | Table 4-49:           | CO <sub>2</sub> and CH <sub>4</sub> Emissions from Petrochemical Production (Tg CO <sub>2</sub> Eq.)  | 4-38                    |
| 25       | Table 4-50:           | CO <sub>2</sub> and CH <sub>4</sub> Emissions from Petrochemical Production (Gg)  | 4-38                    |
| 26       | Table 4-51:           | Production of Selected Petrochemicals (Thousand Metric Tons)  | 4-39                    |
| 27<br>28 |                       | Carbon Black Feedstock (Primary Feedstock) and Natural Gas Feedstock (Secondary Feedstock) mption (Thousand Metric Tons)  | 4-39                    |
| 29<br>30 |                       | Tier 2 Quantitative Uncertainty Estimates for CH <sub>4</sub> Emissions from Petrochemical Production and ons from Carbon Black Production (Tg CO <sub>2</sub> Eq. and Percent) | CO <sub>2</sub><br>4-40 |
| 31       | Table 4-54:           | CO <sub>2</sub> and CH <sub>4</sub> Emissions from Silicon Carbide Production and Consumption (Tg CO <sub>2</sub> Eq.)  | 4-41                    |
| 32       | Table 4-55:           | CO <sub>2</sub> and CH <sub>4</sub> Emissions from Silicon Carbide Production and Consumption (Gg)  | 4-41                    |
| 33       | Table 4-56:           | Production and Consumption of Silicon Carbide (Metric Tons)   | 4-42                    |
| 34<br>35 |                       | Tier 2 Quantitative Uncertainty Estimates for CH <sub>4</sub> and CO <sub>2</sub> Emissions from Silicon Carbide Production (Tg CO <sub>2</sub> Eq. and Percent)                | uction<br>4-42          |
| 36       | Table 4-58:           | N <sub>2</sub> O Emissions from Nitric Acid Production (Tg CO <sub>2</sub> Eq. and Gg),   | 4-43                    |
| 37       | Table 4-59:           | Nitric Acid Production (Gg)   | 4-44                    |
| 38<br>39 |                       | Tier 2 Quantitative Uncertainty Estimates for N <sub>2</sub> O Emissions From Nitric Acid Production (Tg Cd Percent)  | O <sub>2</sub><br>4-44  |
| 40       | Table 4-61:           | N <sub>2</sub> O Emissions from Adipic Acid Production (Tg CO <sub>2</sub> Eq. and Gg)  | 4-45                    |

| 1        | Table 4-62:        | Adipic Acid Production (Gg)  | 4-46                      |
|----------|--------------------|--|---------------------------|
| 2 3      |                    | Tier 2 Quantitative Uncertainty Estimates for N <sub>2</sub> O Emissions from Adipic Acid Production (Tg Cl Percent)                                 | O <sub>2</sub><br>4-47    |
| 4        | Table 4-64:        | Emissions of HFCs and PFCs from ODS Substitutes (Tg CO <sub>2</sub> Eq.)   | 4-47                      |
| 5        | Table 4-65:        | Emissions of HFCs and PFCs from ODS Substitution (Mg)  | 4-48                      |
| 6<br>7   |                    | Tier 2 Quantitative Uncertainty Estimates for HFC and PFC Emissions from ODS Substitutes (Tg Percent)  | g CO <sub>2</sub><br>4-49 |
| 8        | Table 4-67:        | HFC-23 Emissions from HCFC-22 Production (Tg CO <sub>2</sub> Eq. and Gg)   | 4-50                      |
| 9        | Table 4-68:        | HCFC-22 Production (Gg)  | 4-51                      |
| 10<br>11 |                    | Tier 1 Quantitative Uncertainty Estimates for HFC-23 Emissions from HCFC-22 Production (Tg Percent)  | CO <sub>2</sub><br>4-51   |
| 12       | Table 4-70:        | $SF_6$ Emissions from Electric Power Systems and Electrical Equipment Manufactures (Tg $CO_2$ Eq.  | .) 4-52                   |
| 13       | Table 4-71:        | SF <sub>6</sub> Emissions from Electric Power Systems and Electrical Equipment Manufactures (Gg)   | 4-52                      |
| 14<br>15 |                    | Tier 2 Quantitative Uncertainty Estimates for SF <sub>6</sub> Emissions from Electrical Transmission and ation (Tg CO <sub>2</sub> Eq. and Percent)  | 4-55                      |
| 16       | Table 4-73:        | PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture (Tg CO <sub>2</sub> Eq.)  | 4-56                      |
| 17       | Table 4-74:        | PFC, HFC, and SF <sub>6</sub> Emissions from Semiconductor Manufacture (Mg)  | 4-56                      |
| 18<br>19 |                    | Tier 2 Quantitative Uncertainty Estimates for HFC, PFC, and SF <sub>6</sub> Emissions from Semiconductor acture (Tg CO <sub>2</sub> Eq. and Percent) | 4-59                      |
| 20       | Table 4-76:        | CO <sub>2</sub> Emissions from Aluminum Production (Tg CO <sub>2</sub> Eq. and Gg)   | 4-60                      |
| 21       | Table 4-77:        | PFC Emissions from Aluminum Production (Tg CO <sub>2</sub> Eq.)  | 4-60                      |
| 22       | Table 4-78:        | PFC Emissions from Aluminum Production (Gg)  | 4-60                      |
| 23       | Table 4-79:        | Production of Primary Aluminum (Gg)  | 4-62                      |
| 24<br>25 |                    | Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> and PFC Emissions from Aluminum Productio and Percent)                                 | n (Tg<br>4-63             |
| 26       | Table 4-81:        | SF <sub>6</sub> Emissions from Magnesium Production and Processing (Tg CO <sub>2</sub> Eq. and Gg)   | 4-64                      |
| 27       | Table 4-82:        | SF <sub>6</sub> Emission Factors (kg SF <sub>6</sub> per metric ton of magnesium)  | 4-65                      |
| 28<br>29 |                    | Tier 2 Quantitative Uncertainty Estimates for SF <sub>6</sub> Emissions from Magnesium Production and sing (Tg CO <sub>2</sub> Eq. and Percent)      | 4-66                      |
| 30       | Table 4-84:        | NO <sub>x</sub> , CO, and NMVOC Emissions from Industrial Processes (Gg)   | 4-67                      |
| 31       | Table 5-1: 1       | N <sub>2</sub> O Emissions from Solvent and Other Product Use (Tg CO <sub>2</sub> Eq. and Gg)  | 5-1                       |
| 32       | Table 5-2: I       | ndirect Greenhouse Gas Emissions from Solvent and Other Product Use (Gg)   | 5-1                       |
| 33       | Table 5-3: 1       | N <sub>2</sub> O Emissions from N <sub>2</sub> O Product Usage (Tg CO <sub>2</sub> Eq. and Gg)   | 5-1                       |
| 34       | Table 5-4: 1       | N <sub>2</sub> O Production (Gg)   | 5-3                       |
| 35<br>36 | Table 5-5: Tercent | Fier 2 Quantitative Uncertainty Estimates for N <sub>2</sub> O Emissions From N <sub>2</sub> O Product Usage (Tg CO <sub>2</sub> E                   | q. and<br>5-3             |
| 37       | Table 5-6: I       | Emissions of NO <sub>x</sub> , CO, and NMVOC from Solvent Use (Gg)   | 5-4                       |
| 38       | Table 6-1: I       | Emissions from Agriculture (Tg CO <sub>2</sub> Eq.)  | 6-1                       |
| 39       | Table 6-2: I       | Emissions from Agriculture (Gg)  | 6-1                       |

| 1        | Table 6-3: CH <sub>4</sub> Emissions from Enteric Fermentation (Tg CO <sub>2</sub> Eq.)   | 6-3             |
|----------|---|-----------------|
| 2        | Table 6-4: CH <sub>4</sub> Emissions from Enteric Fermentation (Gg)   | 6-3             |
| 3 4      | Table 6-5: Quantitative Uncertainty Estimates for CH <sub>4</sub> Emissions from Enteric Fermentation (Tg CO <sub>2</sub> Eq. a Percent)  | nd<br>6-5       |
| 5        | Table 6-6: CH <sub>4</sub> and N <sub>2</sub> O Emissions from Manure Management (Tg CO <sub>2</sub> Eq.)   | 6-7             |
| 6        | Table 1-6-7: CH <sub>4</sub> and N <sub>2</sub> O Emissions from Manure Management (Gg)   | 6-8             |
| 7<br>8   | Table 1-6-8: Tier 2 Quantitative Uncertainty Estimates for CH <sub>4</sub> and N <sub>2</sub> O Emissions from Manure Manageme CO <sub>2</sub> Eq. and Percent)                       | ent (Tg<br>6-10 |
| 9        | Table 6-9: CH <sub>4</sub> Emissions from Rice Cultivation (Tg CO <sub>2</sub> Eq.)   | 6-13            |
| 10       | Table 6-10: CH <sub>4</sub> Emissions from Rice Cultivation (Gg)  | 6-13            |
| 11       | Table 6-11: Rice Areas Harvested (Hectares)   | 6-14            |
| 12<br>13 | Table 6-12: Tier 2 Quantitative Uncertainty Estimates for CH <sub>4</sub> Emissions from Rice Cultivation (Tg CO <sub>2</sub> Ed Percent)   | q. and<br>6-16  |
| 14       | Table 6-13: N <sub>2</sub> O Emissions from Agricultural Soils (Tg CO <sub>2</sub> Eq.)   | 6-17            |
| 15       | Table 6-14: N <sub>2</sub> O Emissions from Agricultural Soils (Gg N <sub>2</sub> O)  | 6-17            |
| 16       | Table 6-15: Direct N <sub>2</sub> O Emissions from Agricultural Soils by Land-Use and N Input (Tg CO <sub>2</sub> Eq.)  | 6-18            |
| 17       | Table 6-16: Indirect $N_2O$ Emissions from all Land Use Types and Managed Manure Systems (Tg $CO_2$ Eq.)  | 6-18            |
| 18<br>19 | Table 6-17: Quantitative Uncertainty Estimates of N <sub>2</sub> O Emissions from Agricultural Soil Management in 20 CO <sub>2</sub> Eq. and Percent)                                 | 005 (Tg<br>6-27 |
| 20       | Table 6-18: CH <sub>4</sub> and N <sub>2</sub> O Emissions from Field Burning of Agricultural Residues (Tg CO <sub>2</sub> Eq.)   | 6-30            |
| 21       | Table 6-19: CH <sub>4</sub> , N <sub>2</sub> O, CO, and NO <sub>x</sub> Emissions from Field Burning of Agricultural Residues (Gg)  | 6-30            |
| 22       | Table 6-20: Agricultural Crop Production (Gg of Product)  | 6-32            |
| 23       | Table 6-21: Percent of Rice Area Burned by State  | 6-32            |
| 24       | Table 6-22: Percent of Rice Area Burned in California, 1990-1998  | 6-33            |
| 25       | Table 6-23: Key Assumptions for Estimating Emissions from Field Burning of Agricultural Residues  | 6-33            |
| 26       | Table 6-24: Greenhouse Gas Emission Ratios  | 6-33            |
| 27<br>28 | Table 6-25: Tier 2 Uncertainty Estimates for CH <sub>4</sub> and N <sub>2</sub> O Emissions from Field Burning of Agricultural Ro (Tg CO <sub>2</sub> Eq. and Percent)                | esidues<br>6-34 |
| 29       | Table 7-1: Net CO <sub>2</sub> Flux from Land Use, Land-Use Change, and Forestry (Tg CO <sub>2</sub> Eq.)   | 7-1             |
| 30       | Table 7-2: Net CO <sub>2</sub> Flux from Land Use, Land-Use Change, and Forestry (Tg C)   | 7-2             |
| 31       | Table 7-3: Non-CO <sub>2</sub> Emissions from Land Use, Land-Use Change, and Forestry (Tg CO <sub>2</sub> Eq.)  | 7-3             |
| 32       | Table 7-4: Non-CO <sub>2</sub> Emissions from Land Use, Land-Use Change, and Forestry (Gg)  | 7-3             |
| 33       | Table 7-5. Net Annual Changes in C Stocks (Tg CO <sub>2</sub> /yr) in Forest and Harvested Wood Pools   | 7-6             |
| 34       | Table 7-6. Net Annual Changes in C Stocks (Tg C/yr) in Forest and Harvested Wood Pools  | 7-6             |
| 35       | Table 7-7. Forest area (1000 ha) and C Stocks (Tg C) in Forest and Harvested Wood Pools   | 7-6             |
| 36       | Table 7-8: Estimates of CO <sub>2</sub> (Tg/yr) emissions for the lower 48 states and Alaska <sup>1</sup>   | 7-7             |
| 37<br>38 | Table 7-9: Tier 2 Quantitative Uncertainty Estimates for Net CO <sub>2</sub> Flux from Forest Land Remaining Forest I Changes in Forest C Stocks (Tg CO <sub>2</sub> Eq. and Percent) | Land: 7-11      |

| 1              | Table 7-10: Estimated Non-CO <sub>2</sub> Emissions from Forest Fires (Tg CO <sub>2</sub> Eq.) for U.S. forests <sup>1</sup>  | 7-14                 |
|----------------|---|----------------------|
| 2              | Table 7-11: Estimated Non-CO <sub>2</sub> Emissions from Forest Fires (Gg Gas) for U.S. forests <sup>1</sup>  | 7-14                 |
| 3              | Table 7-12: Estimated Carbon Released from Forest Fires for U.S. Forests  | 7-14                 |
| 4<br>5         | Table 7-13: Tier 2 Quantitative Uncertainty Estimates of Non-CO <sub>2</sub> Emissions from Forest Fires in <i>Forest Lan Remaining Forest Land</i> (Tg CO <sub>2</sub> Eq. and Percent)                      | nd<br>7-15           |
| 6              | Table 7-14. N <sub>2</sub> O Fluxes from Soils in Forest Land Remaining Forest Land (Tg CO <sub>2</sub> Eq. and Gg)   | 7-15                 |
| 7<br>8         | Table 7-15: Tier 2 Quantitative Uncertainty Estimates of N <sub>2</sub> O Fluxes from Soils in <i>Forest Land Remaining F Land</i> (Tg CO <sub>2</sub> Eq. and Percent)                                       | Forest<br>7-16       |
| 9              | Table 7-16: Net Soil C Stock Changes and Liming Emissions in Cropland Remaining Cropland (Tg CO <sub>2</sub> Eq   | <sub>l</sub> .) 7-18 |
| 10             | Table 7-17: Net Soil C Stock Changes and Liming Emissions in Cropland Remaining Cropland (Tg C)   | 7-18                 |
| 11             | Table 7-18: Applied Minerals (Million Metric Tons)  | 7-23                 |
| 12<br>13       | Table 7-19: Quantitative Uncertainty Estimates for C Stock Changes occurring within <i>Cropland Remaining Cropland</i> (Tg CO <sub>2</sub> Eq. and Percent)   | 7-24                 |
| 14             | Table 7-20: Net Soil C Stock Changes in Land Converted to Cropland (Tg CO <sub>2</sub> Eq.)   | 7-26                 |
| 15             | Table 7-21: Net Soil C Stock Changes in Land Converted to Cropland (Tg C)   | 7-26                 |
| 16<br>17       | Table 7-22: Quantitative Uncertainty Estimates for C Stock Changes occurring within <i>Land Converted to Cr</i> (Tg CO <sub>2</sub> Eq. and Percent)  | opland<br>7-28       |
| 18             | Table 7-23: Net Soil C Stock Changes in Grassland Remaining Grassland (Tg CO <sub>2</sub> Eq.)  | 7-30                 |
| 19             | Table 7-24: Net Soil C Stock Changes in Grassland Remaining Grassland (Tg C)  | 7-30                 |
| 20<br>21       | Table 7-25: Quantitative Uncertainty Estimates for C Stock Changes occurring within <i>Grassland Remaining Grassland</i> (Tg CO <sub>2</sub> Eq. and Percent)   | 7-32                 |
| 22             | Table 7-26: Net Soil C Stock Changes for Land Converted to Grassland (Tg CO <sub>2</sub> Eq.)   | 7-34                 |
| 23             | Table 7-27: Net Soil C Stock Changes for Land Converted to Grassland (Tg C)   | 7-34                 |
| 24<br>25       | Table 7-28: Quantitative Uncertainty Estimates for C Stock Changes occurring within <i>Land Converted to Grassland</i> (Tg CO <sub>2</sub> Eq. and Percent)   | 7-36                 |
| 26             | Table 7-29: Net C Flux from Urban Trees (Tg CO <sub>2</sub> Eq. and Tg C)   | 7-37                 |
| 27<br>28<br>29 | Table 7-30: Carbon Stocks (Metric Tons C), Annual Carbon Sequestration (Metric Tons C/yr), Tree Cover (Percent), and Annual Carbon Sequestration per Area of Tree Cover (kg C/m² cover-yr) for Ten U.S. Ci 39 | ties 7-              |
| 30<br>31       | Table 7-31: Tier 2 Quantitative Uncertainty Estimates for Net C Flux from Changes in C Stocks in Urban Tr CO <sub>2</sub> Eq. and Percent)  | rees (Tg<br>7-40     |
| 32             | Table 7-32: N <sub>2</sub> O Fluxes from Soils in Settlements Remaining Settlements (Tg CO <sub>2</sub> Eq. and Gg)   | 7-41                 |
| 33<br>34       | Table 7-33: Tier 2 Quantitative Uncertainty Estimates of N <sub>2</sub> O Emissions from Soils in <i>Settlements Remainin Settlements</i> (Tg CO <sub>2</sub> Eq. and Percent)                                | g<br>7-42            |
| 35             | Table 7-34: Net Changes in Yard Trimming and Food Scrap Stocks in Landfills (Tg CO <sub>2</sub> Eq.)  | 7-43                 |
| 36             | Table 7-35: Net Changes in Yard Trimming and Food Scrap Stocks in Landfills (Tg C)  | 7-43                 |
| 37<br>38       | Table 7-36: Moisture Content (%), C Storage Factor, Proportion of Initial C Sequestered (%), Initial C Conte (%), and Half-Life (years) for Landfilled Yard Trimmings and Food Scraps in Landfills            | ent<br>7-46          |
| 39             | Table 7-37: Carbon Stocks in Yard Trimmings and Food Scraps in Landfills (Tg C)   | 7-46                 |
| 40<br>41       | Table 7-38: Tier 2 Quantitative Uncertainty Estimates for CO <sub>2</sub> Flux from Yard Trimmings and Food Scraps in Landfills (Tg CO <sub>2</sub> Eq. and Percent)  | n<br>7-46            |

| 1        | Table 8-1: Emissions from Waste (Tg CO <sub>2</sub> Eq.)   | 8-1                         |  |
|----------|--|-----------------------------|--|
| 2        | Table 8-2: Emissions from Waste (Gg)   | 8-1                         |  |
| 3        | Table 8-3. CH <sub>4</sub> Emissions from Landfills (Tg CO <sub>2</sub> Eq.)   | 8-2                         |  |
| 4        | Table 8-4. CH <sub>4</sub> Emissions from Landfills (Gg)   | 8-3                         |  |
| 5<br>6   | Table 8-5. Tier 2 Quantitative Uncertainty Estimates for CH <sub>4</sub> Emissions from Landfills (Tg CO <sub>2</sub> Eq. and Percent) 8 |                             |  |
| 7        | Table 8-6. CH <sub>4</sub> and N <sub>2</sub> O Emissions from Domestic and Industrial Wastewater Treatment (Tg CO <sub>2</sub> Eq.)     | 8-7                         |  |
| 8        | Table 8-7. CH <sub>4</sub> and N <sub>2</sub> O Emissions from Domestic and Industrial Wastewater Treatment (Gg)                         | 8-7                         |  |
| 9        | Table 8-8. U.S. Population (Millions) and Domestic Wastewater BOD <sub>5</sub> Produced (Gg)   | 8-9                         |  |
| 10       | Table 8-9. U.S. Pulp and Paper, Meat and Poultry, and Vegetables, Fruits and Juices Production (Tg)                                      | 8-9                         |  |
| 11<br>12 | Table 8-10. Wastewater Flow (m³/ton) and BOD Production (g/L) for U.S. Vegetables, Fruits and Juices Production                          | 8-11                        |  |
| 13       | Table 8-11. U.S. Population (Millions) and Average Protein Intake [kg/(person-year)]   | 8-12                        |  |
| 14<br>15 | Table 8-12. Tier 2 Quantitative Uncertainty Estimates for CH <sub>4</sub> Emissions from Wastewater Treatment (Tg C and Percent)         | CO <sub>2</sub> Eq.<br>8-13 |  |
| 16       | Table 8-13: Emissions of NO <sub>x</sub> , CO, and NMVOC from Waste (Gg)   | 8-15                        |  |
| 17       | Table 10-1: Revisions to U.S. Greenhouse Gas Emissions (Tg CO <sub>2</sub> Eq.)  | 10-3                        |  |
| 18<br>19 | Table 10-2: Revisions to Net Flux of CO <sub>2</sub> to the Atmosphere from Land Use, Land-Use Change, and Fores CO <sub>2</sub> Eq.)    | try (Tg<br>10-4             |  |
| 20       | Figures  |                             |  |
| 21       | Figure ES-1: U.S. Greenhouse Gas Emissions by Gas  | ES-4                        |  |
| 22       | Figure ES-2: Annual Percent Change in U.S. Greenhouse Gas Emissions  | ES-4                        |  |
| 23       | Figure ES-3: Cumulative Change in U.S. Greenhouse Gas Emissions Relative to 1990   | ES-4                        |  |
| 24       | Figure ES-4: 2005 Greenhouse Gas Emissions by Gas (percents based on Tg CO <sub>2</sub> Eq.)   | ES-6                        |  |
| 25       | Figure ES-5: 2005 Sources of CO <sub>2</sub>   | ES-7                        |  |
| 26       | Figure ES-6: 2005 CO <sub>2</sub> Emissions from Fossil Fuel Combustion by Sector and Fuel Type  | ES-7                        |  |
| 27       | Figure ES-7: 2005 End-Use Sector Emissions of CO <sub>2</sub> from Fossil Fuel Combustion  | ES-7                        |  |
| 28       | Figure ES-8: 2005 Sources of CH <sub>4</sub>   | ES-9                        |  |
| 29       | Figure ES-9: 2005 Sources of N <sub>2</sub> O  | ES-10                       |  |
| 30       | Figure ES-10: 2005 Sources of HFCs, PFCs, and SF <sub>6</sub>  | ES-10                       |  |
| 31       | Figure ES-11: U.S. Greenhouse Gas Emissions and Sinks by Chapter/IPCC Sector   | ES-11                       |  |
| 32       | Figure ES-12: 2005 U.S. Energy Consumption by Energy Source  | ES-12                       |  |
| 33       | Figure ES-13: Emissions Allocated to Economic Sectors  | ES-14                       |  |
| 34       | Figure ES-14: Emissions with Electricity Distributed to Economic Sectors   | ES-15                       |  |
| 35       | Figure ES-15: U.S. Greenhouse Gas Emissions Per Capita and Per Dollar of Gross Domestic Product  | ES-16                       |  |
| 36       |  | EG 10                       |  |
| -        | Figure ES-16: 2005 Key Categories—Tier 1 Level Assessment  | ES-18                       |  |

| 1        | Figure 2-2: Annual Percent Change in U.S. Greenhouse Gas Emissions   | 2-1     |
|----------|--|---------|
| 2        | Figure 2-3: Cumulative Change in U.S. Greenhouse Gas Emissions Relative to 1990  | 2-1     |
| 3        | Figure 2-4: U.S. Greenhouse Gas Emissions Per Capita and Per Dollar of Gross Domestic Product                                  | 2-4     |
| 4        | Figure 2-5: U.S. Greenhouse Gas Emissions by Chapter/IPCC Sector   | 2-8     |
| 5        | Figure 2-6: 2005 Energy Chapter Greenhouse Gas Sources   | 2-8     |
| 6        | Figure 2-7: 2005 U.S. Fossil C Flows (Tg CO <sub>2</sub> Eq.)  | 2-8     |
| 7        | Figure 2-8: 2005 CO <sub>2</sub> Emissions from Fossil Fuel Combustion by Sector and Fuel Type                                 | 2-10    |
| 8        | Figure 2-9: 2005 End-Use Sector Emissions of CO <sub>2</sub> from Fossil Fuel Combustion                                       | 2-10    |
| 9        | Figure 2-10: 2005 Industrial Processes Chapter Greenhouse Gas Sources  | 2-14    |
| 10       | Figure 2-11: 2005 Agriculture Chapter Greenhouse Gas Sources   | 2-19    |
| 11       | Figure 2-12: 2005 Waste Chapter Greenhouse Gas Sources   | 2-22    |
| 12       | Figure 2-13: Emissions Allocated to Economic Sectors   | 2-24    |
| 13       | Figure 2-14: Emissions with Electricity Distributed to Economic Sectors  | 2-27    |
| 14       | Figure 3-1: 2005 Energy Chapter Greenhouse Gas Sources   | 3-1     |
| 15       | Figure 3-2: 2005 U.S. Fossil Carbon Flows (Tg CO <sub>2</sub> Eq.)   | 3-1     |
| 16       | Figure 3-3: 2005 U.S. Energy Consumption by Energy Source  | 3-4     |
| 17       | Figure 3-4: U.S. Energy Consumption (Quadrillion Btu)  | 3-4     |
| 18       | Figure 3-5: 2005 CO <sub>2</sub> Emissions from Fossil Fuel Combustion by Sector and Fuel Type                                 | 3-5     |
| 19       | Figure 3-6: Annual Deviations from Normal Heating Degree Days for the United States (1950-2005)                                | 3-5     |
| 20       | Figure 3-7: Annual Deviations from Normal Cooling Degree Days for the United States (1950-2005)                                | 3-5     |
| 21<br>22 | Figure 3-8: Aggregate Nuclear and Hydroelectric Power Plant Capacity Factors in the United States (1974-20 6                   | 005) 3- |
| 23       | Figure 3-9: 2005 End-Use Sector Emissions of CO <sub>2</sub> from Fossil Fuel Combustion                                       | 3-7     |
| 24       | Figure 3-10. Sales of New Automobiles and Light-Duty Trucks, 1990-2005   | 3-7     |
| 25       | Figure 3-11. Sales-Weighted Fuel Economy of New Automobiles and Light-Duty Trucks, 1990-2005                                   | 3-7     |
| 26       | Figure 3-12: Industrial Production Indices (Index 1997=100)  | 3-10    |
| 27       | Figure 3-13: Heating Degree Days   | 3-10    |
| 28       | Figure 3-14: Cooling Degree Days   | 3-10    |
| 29       | Figure 3-15: Electricity Generation Retail Sales by End-Use Sector   | 3-11    |
| 30       | Figure 3-16: U.S. Energy Consumption and Energy-Related CO <sub>2</sub> Emissions Per Capita and Per Dollar GDP                | 3-13    |
| 31       | Figure 3-17: Mobile Source CH <sub>4</sub> and N <sub>2</sub> O Emissions  | 3-30    |
| 32       | Figure 4-1: 2005 Industrial Processes Chapter Greenhouse Gas Sources   | 4-1     |
| 33       | Figure 6-1: 2005 Agriculture Chapter Greenhouse Gas Emission Sources   | 6-1     |
| 34       | Figure 6-2: Agricultural Sources and Pathways of N that Result in N <sub>2</sub> O Emissions                                   | 6-17    |
| 35       | Figure 6-3: Major Crops, Average Annual Direct N <sub>2</sub> O Emissions, 1990-2005 (Tg CO <sub>2</sub> Eq./county/year)      | 6-19    |
| 36       | Figure 6-4: Grasslands, Average Annual Direct N <sub>2</sub> O Emissions, 1990-2005 (Tg CO <sub>2</sub> Eq./county/year)       | 6-19    |
| 37       | Figure 6-5: Major Crops, Average Annual N Losses Leading to Indirect N <sub>2</sub> O Emissions, 1990-2005 (Tg CO <sub>2</sub> |         |

| 1   | Eq./county/year)  | 6-19  |
|-----|---|-------|
| 2 3 | Figure 6-6: Grasslands, Average Annual N Losses Leading to Indirect $N_2O$ Emissions, 1990-2005 (Tg $CO_2$ Eq./county/year) | 6-19  |
| 4   | Figure 7-1: Forest Sector Carbon Pools and Flows  | 7-4   |
| 5   | Figure 7-2: Estimates of Net Annual Changes in C Stocks for Major C Pools   | 7-7   |
| 6   | Figure 7-3: Average C Density in the Forest Tree Pool in the Conterminous United States During 2005                         | 7-7   |
| 7   | Figure 7-4: Net C Stock Change for Mineral Soils in Cropland Remaining Cropland, 2005                                       | 7-19  |
| 8   | Figure 7-5: Net C Stock Change for Organic Soils in Cropland Remaining Cropland, 2005                                       | 7-19  |
| 9   | Figure 7-6: Net C Stock Change for Mineral Soils in Land Converted to Cropland, 2005  | 7-27  |
| 10  | Figure 7-7: Net C Stock Change for Organic Soils in Land Converted to Cropland, 2005  | 7-27  |
| 11  | Figure 7-8: Net Soil C Stock Change for Mineral Soils in Grassland Remaining Grassland, 2005                                | 7-30  |
| 12  | Figure 7-9: Net Soil C Stock Change for Organic Soils in Grassland Remaining Grassland, 2005                                | 7-30  |
| 13  | Figure 7-10: Net Soil C Stock Change for Mineral Soils in Land Converted to Grassland, 2005                                 | 7-35  |
| 14  | Figure 7-11: Net Soil C Stock Change for Organic Soils in Land Converted to Grassland, 2005                                 | 7-35  |
| 15  | Figure 8-1: 2005 Waste Chapter Greenhouse Gas Sources   | 8-1   |
| 16  |   |       |
| 17  | Boxes   |       |
| 18  | Box ES- 1: Recalculations of Inventory Estimates  | ES-1  |
| 19  | Box ES-2: Recent Trends in Various U.S. Greenhouse Gas Emissions-Related Data   | ES-16 |
| 20  | Box 1-1: The IPCC Third Assessment Report and Global Warming Potentials   | 1-8   |
| 21  | Box 1-2: IPCC Reference Approach  | 1-11  |
| 22  | Box 2-1: Recent Trends in Various U.S. Greenhouse-Gas-Emissions-Related Data  | 2-3   |
| 23  | Box 2-2: Methodology for Aggregating Emissions by Economic Sector   | 2-30  |
| 24  | Box 2-3: Sources and Effects of Sulfur Dioxide  | 2-32  |
| 25  | Box 3-1: Weather and Non-Fossil Energy Effects on CO <sub>2</sub> from Fossil Fuel Combustion Trends                        | 3-5   |
| 26  | Box 3-2: Carbon Intensity of U.S. Energy Consumption  | 3-11  |
| 27  | Box 3-3. Carbon Dioxide Transport, Injection, and Geological Storage  | 3-49  |
| 28  | Box 3-4: Formation of CO <sub>2</sub> through Atmospheric CH <sub>4</sub> Oxidation   | 3-61  |
| 29  | Box 6-1. Tier 1 vs. Tier 3 Approach for Estimating N <sub>2</sub> O Emissions   | 6-20  |
| 30  | Box 7-1: CO <sub>2</sub> Emissions from Forest Fires  | 7-7   |
| 31  | Box 7-2: Tier 3 Inventory for Soil C Stocks compared to Tier 1 or 2 Approaches  | 7-20  |
| 32  | Box 8-1: Biogenic Emissions and Sinks of Carbon   | 8-5   |
|     |   |       |